

---

# **krakenex Documentation**

***Release 2.1.0***

**Noel Maersk**

**Apr 20, 2018**



---

## Contents

---

<b>1</b>	<b>Interface classes</b>	<b>1</b>
	<b>Python Module Index</b>	<b>5</b>



# CHAPTER 1

---

## Interface classes

---

General-use interface provided by *krakenex*.

Internally, classes are in separate modules, but they are also exported to the top-level namespace, so the following uses are possible:

```
# recommended, unlikely to result in namespace collisions
import krakenex
kraken = krakenex.API()

# OK for simple scripts
from krakenex import *
kraken = API()

# can be explicit in both cases
# <some import form here>
kraken = krakenex.api.API()
```

**class** `krakenex.API` (*key*="", *secret*="")

Bases: `object`

Maintains a single session between this machine and Kraken.

Specifying a key/secret pair is optional. If not specified, private queries will not be possible.

The `session` attribute is a `requests.Session` object. Customise networking options by manipulating it.

Query responses, as received by `requests`, are retained as attribute `response` of this object. It is overwritten on each query.

---

**Note:** No query rate limiting is performed.

---

**\_\_init\_\_** (*key*="", *secret*="")

Create an object with authentication information.

**Parameters**

- **key** (*str*) – (optional) key identifier for queries to the API
- **secret** (*str*) – (optional) actual private key used to sign messages

**Returns** None

**\_\_module\_\_** = 'krakenex.api'

**\_\_nonce\_\_** ()

Nonce counter.

**Returns** an always-increasing unsigned integer (up to 64 bits wide)

**\_\_query** (*urlpath*, *data*, *headers=None*, *timeout=None*)

Low-level query handling.

---

**Note:** Use `query_private()` or `query_public()` unless you have a good reason not to.

---

#### Parameters

- **urlpath** (*str*) – API URL path sans host
- **data** (*dict*) – API request parameters
- **headers** (*dict*) – (optional) HTTPS headers
- **timeout** (*int* or *float*) – (optional) if not None, a `requests.HTTPError` will be thrown after `timeout` seconds if a response has not been received

**Returns** `requests.Response.json()` -deserialised Python object

**Raises** `requests.HTTPError`: if response status not successful

**\_\_sign** (*data*, *urlpath*)

Sign request data according to Kraken's scheme.

#### Parameters

- **data** (*dict*) – API request parameters
- **urlpath** (*str*) – API URL path sans host

**Returns** signature digest

**close** ()

Close this session.

**Returns** None

**json\_options** (*\*\*kwargs*)

Set keyword arguments to be passed to JSON deserialization.

**Parameters** **kwargs** – passed to `requests.Response.json()`

**Returns** this instance for chaining

**load\_key** (*path*)

Load key and secret from file.

Expected file format is key and secret on separate lines.

**Parameters** **path** (*str*) – path to keyfile

**Returns** None

**query\_private** (*method*, *data=None*, *timeout=None*)

Performs an API query that requires a valid key/secret pair.

**Parameters**

- **method** (*str*) – API method name
- **data** (*dict*) – (optional) API request parameters
- **timeout** (*int or float*) – (optional) if not None, a `requests.HTTPError` will be thrown after `timeout` seconds if a response has not been received

**Returns** `requests.Response.json()` -deserialised Python object

**query\_public** (*method*, *data=None*, *timeout=None*)

Performs an API query that does not require a valid key/secret pair.

**Parameters**

- **method** (*str*) – API method name
- **data** (*dict*) – (optional) API request parameters
- **timeout** (*int or float*) – (optional) if not None, a `requests.HTTPError` will be thrown after `timeout` seconds if a response has not been received

**Returns** `requests.Response.json()` -deserialised Python object





**k**

krakenex, [1](#)



## Symbols

`__init__()` (krakenex.API method), 1  
`__module__` (krakenex.API attribute), 2  
`_nonce()` (krakenex.API method), 2  
`_query()` (krakenex.API method), 2  
`_sign()` (krakenex.API method), 2

## A

API (class in krakenex), 1

## C

`close()` (krakenex.API method), 2

## J

`json_options()` (krakenex.API method), 2

## K

krakenex (module), 1

## L

`load_key()` (krakenex.API method), 2

## Q

`query_private()` (krakenex.API method), 2  
`query_public()` (krakenex.API method), 3